



PRICE LIST 2025

TESTMATERIALS



TABLE OF CONTENTS

| | <i>Page</i> |
|---|-------------|
| 1 Test fabrics with artificial soiling, colour transfer monitors | 3-4 |
| 2 Unsoiled test fabrics | 5 |
| 3 Test fabrics for wash cycle control / load / mechanical action (GoA) | 6 |
| 4 Test fabrics for determination of colour fastness | 7 |
| 5 Biomonitors | 8 |
| 6 Reference detergents | 8 |
| 7 Test materials for VESLIC/IUF testing of leather | 9 |
| 8 Scales for testing colour and light-fastness | 9 |
| 9 Photographs for evaluation of pilling formation | 10 |
| 10 Service: Special soiling, fabrication | 10 |
| 11 Conditions of sale and delivery for Swisstatest Testmaterials | 11 |

*Costs for postage, transportation, declaration, VAT, etc. will be charged additionally.
A supplement of CHF 50.– /Euro 50.– will be charged in case of orders below CHF/Euro 1000.–*

1 TEST FABRICS WITH ARTIFICIAL SOILING, COLOUR TRANSFER MONITORS

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|---|-----------------------------|------------------|-------|--------------------|
| SWISSATEST STANDARD SOILING | | | | |
| 101 Cotton soiled with carbon black/olive oil | 140 | 95 | m | 82.– / 88.– |
| 104 Polyester/cotton, 65/35, soiled with carbon black/olive oil also for ISO 26082-1 | 135 | 160 | m | 89.– / 96.– |
| 107 Wool soiled with carbon black/olive oil | 105 | 90 | m | 103.– / 111.– |
| TESTSTRIPS/STAIN MONITORS EN/IEC 60456 STRIPS For evaluation of washing, cleaning, bleaching, brightening performance and stain removal capacity; for comparative testing of detergents, washing machines and laundering processes. | | | | |
| 102 Cotton-Jersey (23x19 cm) with 15 different stains (3 cm): Make-up, Curry, Red wine, Tomato sauce, Blood, Dessert (chocolate), Peat, Tea, Beta-Carotine, Grass, Animal fat/red dye, Baby-food, Clay, Butter, used Engine oil | | | Piece | 27.– / 29.– |
| 103 Combined Swissatest washing test strips, consisting of art. 221, 101, 111, 112, 116, 115, 222, 114, pieces of 12x12 cm, bag with 10 strips | | | Bag | 107.– / 115.– |
| 105 EN/IEC 60456 strips (EN Ed. 2/IEC 4 th Ed.), pieces of 15x15 cm each, bag with 10 strips, incl. certificate | | | Bag | 160.– / 172.– |
| 108 EN/IEC 60456 strips (EN ED.3/ IEC 5 th Ed./ IEC 6 th Ed.), pieces of 12x12 cm each, bag with 10 strips, incl. certificate | | | Bag | 102.– / 110.– |
| 109 AHAM HLW-2 strips, pieces of 12x12 cm each, bag with 10 strips, incl. certificate | | | Bag | 102.– / 110.– |
| 110 Test strip in wool, according Woolmark Pieces of 15 x 15 cm each, bag with 10 strips | | | Bag | 210.– / 226.– |
| 113 IEC 60456 strips (cold water stain strips, 6 th Ed.), bag with 10 strips | | | Bag | 97.– / 104.– |
| 121 IEC 60456 strips (wool stain strips, 6 th Ed.), bag with 10 strips | | | Bag | 77.– / 83.– |
| SPECIFIC SOILING | | | | |
| 106 Cotton soiled with IEC carbon black/mineral oil | 159 | 195 | m | 85.– / 91.– |
| 111 Cotton soiled with blood | 77 | 230 | m | 42.– / 45.– |
| 112 Cotton soiled with cocoa | 155 | 235 | m | 84.– / 90.– |
| 114 Cotton soiled with red wine | 78 | 195 | m | 42.– / 45.– |
| 115 Cotton dyed with Immedial black, bleaching test | 149 | 90 | m | 71.– / 76.– |
| 116 Cotton soiled with blood/milk/ink | 157 | 205 | m | 82.– / 88.– |
| 117 Polyester/cotton, 65/35, soiled with blood/milk/ink | 139 | 165 | m | 91.– / 98.– |
| 118 Cotton soiled with sebum/pigment | 158 | 200 | m | 84.– / 90.– |
| 119 Polyester/cotton, 65/35, soiled with sebum/pigment | 33 | 165 | m | 30.– / 32.– |
| 120 Cotton soiled with grease/quartz/iron oxide | 25 | 220 | m | 40.– / 43.– |
| 122 Cotton soiled with aged red wine | 35 | 210 | m | 30.– / 32.– |
| 123 Cotton soiled for washing with low temperature | 34 | 230 | m | 35.– / 38.– |
| 124 Cotton fabric with soiling according JIS C9606, 5x5 cm, 50 pieces per box | | | Box | 35.– / 38.– |
| 124/1 Cotton fabric with soiling according JIS C9606 | 35 | 195 | m | 35.– / 38.– |
| 125 Fabric soiled for tenside/surfactants | 33 | 235 | m | 40.– / 43.– |

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|--|--------------------------|------------------|------|--------------------|
| 126 Cotton fabric soiled with clay, artificial sebum and protein (related to JIS C9606, used in article 113) | 34 | 195 | m | 35.- / 38.- |
| 126/1 Cotton fabric soiled with clay, artificial sebum and protein (related to JIS C9606, used in article 113), 5x5cm, 50 pieces per pack | | | Pack | 35.- / 38.- |
| 128/1 Cotton Jeans, Indigo/Sulfur black, soiled with carbon black/olive oil, according VDA | 35 | 370 | m | 38.- / 41.- |
| 128/2 Cotton Jeans, Indigo/Sulfur black, soiled with carbon black/olive oil, 14x14 cm, 10 pieces per box, according VDA – 230–212 | | 370 | Box | 81.- / 87.- |
| 129 Cotton Jeans, Indigo/Sulfur black, soiled with sebum and pigment (PV: 3968) | 35 | 370 | m | 56.- / 60.- |
| COLOUR TRANSFER MONITORS | | | | |
| 130 Cotton dyed with Direct red 83.1 | 162 | 180 | m | 71.- / 76.- |
| 131 Polyamide dyed with Acid blue 113 | 154 | 65 | m | 71.- / 76.- |
| 132 Cotton dyed with Direct black 22 | 150 | 90 | m | 71.- / 76.- |
| 133 Cotton dyed with Direct blue 71 | 148 | 90 | m | 71.- / 76.- |
| 134 Cotton dyed with Direct orange 39 | 150 | 90 | m | 71.- / 76.- |
| 135 Cotton dyed with Reactive blue 225 | 152 | 90 | m | 71.- / 76.- |
| 136 Cotton dyed with Reactive brown 7 | 153 | 90 | m | 71.- / 76.- |
| 137 Cotton dyed with Reactive red 158 | 148 | 100 | m | 71.- / 76.- |
| 138 Cotton dyed with Sulphur blue 19 | 141 | 90 | m | 71.- / 76.- |
| SOILING WITH LIPSTICK/MAKE-UP | | | | |
| 141 Cotton soiled with lipstick 141/1.....17,0 g 141/2.....8,5 g 141/3.....4,0 g | 25 | 224 | m | 34.- / 37.- |
| 142 Polyester/cotton, 65/35, soiled with lipstick 142/1.....17,0 g 142/2.....12,0 g 142/3.....7,0 g | 25 | 164 | m | 39.- / 42.- |
| 143 Cotton soiled with make-up 143/1.....7,0 g 143/2.....3,0 g 143/3.....1,0 g | 25 | 209 | m | 34.- / 37.- |
| 144 Polyester/cotton, 65/35, soiled with make-up 144/1.....7,0 g 144/2.....5,0 g 144/3.....2,0 g | 25 | 166 | m | 39.- / 42.- |
| ENZYME- AND BLEACH MONITORS | | | | |
| 160 Cotton soiled with chocolate cream | 34 | 242 | m | 30.- / 32.- |
| 161 Cotton soiled with starch | 34 | 225 | m | 30.- / 32.- |
| 162 Polyester/cotton, 65/35, soiled with starch | 34 | 169 | m | 30.- / 32.- |
| 163 Cotton soiled with porridge | 34 | 232 | m | 30.- / 32.- |
| 164 Cotton soiled with grass | 34 | 208 | m | 30.- / 32.- |
| 165 Cotton fabric with soiling of pudding, mannanase sensitive | 34 | 264 | m | 30.- / 32.- |
| 167 Cotton soiled with tea | 34 | 210 | m | 30.- / 32.- |
| 168 Polyester/cotton, 65/35, soiled with tea | 34 | 155 | m | 30.- / 32.- |

2 UNSOILED TEST FABRICS

UNSOILED TEST FABRICS

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|--|--------------------------|------------------|------|--------------------|
| 210 Cotton fabric, plain weave, bleached, without optical brightener | 169 | 180 | m | 24.- / 26.- |
| 210/MS Cotton fabric, bleached, without optical brightener, used in the articles: 113 / 124 / 126 | 40 | 180 | m | 8.- / 9.- |
| 211 Cotton fabric, percale, bleached | 152 | 90 | m | 31.- / 33.- |
| 213 Polyester/cotton fabric, 65/35, bleached, without optical brightener | 147 | 155 | m | 30.- / 32.- |
| 214 Cotton twill fabric, without optical brightener | 152 | 195 | m | 34.- / 37.- |
| 217 Wool fabric, muslin, washed | 115 | 100 | m | 48.- / 52.- |
| 220 Cotton/Polyester twill, 50/50, bleached, without optical brightener | 150 | 240 | m | 34.- / 37.- |
| 221 Cotton fabric, cretonne, bleached, without optical brightener used on IEC strip, article 105, 108 and 109 | 167 | 200 | m | 31.- / 33.- |
| 222 Cotton fabric, cretonne, raw, unbleached | 177 | 205 | m | 23.- / 25.- |
| 223 Cotton fabric, cretonne, with green effect threads, bleached, without optical brightener for wash cycle control | 60 | 195 | m | 45.- / 48.- |
| 224 Cotton fabric, with green effect threads, bleached, for wash cycle control, ISO 2267 and EN/IEC 61855 | 80 | 175 | m | 57.- / 61.- |
| 225 Polyamide fabric, percale, washed out, heat-set | 155 | 65 | m | 33.- / 35.- |
| 231 Martindale Foils, squares of 5,5x5,5 cm with round cutting of 3 cm diameter, unit with 50 pieces | | | Pack | 71.- / 76.- |
| 240 Cotton/Polyester, huckaback weave, 50/50, bleached, without optical brightener used on article 341 and 342 | 148 | 228 | m | 34.- / 37.- |
| 250 Pilling set containing 2 fabric pieces and 4 garments, original, not pre-pilled | | | Set | 164.- / 176.- |
| 251 Pilling set containing 2 fabric pieces and 4 garments, pre-pilled | | | Box | 377.- / 405.- |
| 252 Pilling monitor, printed Jersey (strips with 4 colours), 94% CO/6% Dorlastan, original not pre-pilled | 133 | 235 | m | 64.- / 69.- |
| 253 Pilling monitor, printed Jersey, 94% CO/6% Dorlastan, pre-pilled, 30x30 cm, 5 pieces per box | | 235 | Box | 59.- / 63.- |
| 254 Pilling monitor, Jersey white, 94% CO/6% Dorlastan, original, not pre-pilled | 145 | 240 | m | 50.- / 54.- |
| 255 Pilling monitor, Jersey white, 94% CO/6% Dorlastan, pre-pilled, 30x30 cm, 5 pieces per box | | | Box | 46.- / 49.- |
| 256 Pilling monitor, printed Jersey (strips with 1 colour, black), 94% CO/6% Dorlastan, original not pre-pilled | 133 | 235 | m | 84.- / 90.- |
| 257 Pilling monitor, printed Jersey (strips with 1 colour, black), 94% CO/6% Dorlastan, original not pre-pilled, 30x30 cm, 5 pieces per box | | 235 | Box | 56.- / 60.- |
| 258 Pilling monitor, printed Jersey (strips with 1 colour, black), 94% CO/6% Dorlastan, pre-pilled, 30x30 cm, 5 pieces per box | | 235 | Box | 77.- / 83.- |
| 277 Cotton Jeans fabric with Indigo dyeing | 164 | 310 | m | 50.- / 54.- |
| 278 Cotton Jeans fabric with Indigo/Sulfur black dyeing, used in article 128 and 128/1 | 162 | 405 | m | 50.- / 54.- |
| 279 Cotton Jeans fabric with Sulfur black dyeing | 165 | 420 | m | 58.- / 62.- |
| 280 Cotton twill fabric with blue vat dyeing | 150 | 200 | m | 37.- / 40.- |

3 TEST FABRICS FOR WASH CYCLE CONTROL/ LOAD/MECHANICAL ACTION (GoA)

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|---|--------------------------|------------------|-------|--------------------|
| 300 Control strip cotton, with green effect threads ISO 2267 «Surface active agents – Evaluation of certain laundering effects – Methods of preparation and use of unsoiled cotton control cloth», size 130x80 cm, pieces for 1, 25 and 50 wash cycles | 80 | 175 | Piece | 51.– / 55.– |
| 302 Swisstatest control strip, cotton, with green effect threads, bleached, without optical brightener, size 100x60 cm, pieces for 1,25 und 50 wash cycles | 60 | 190 | Piece | 46.– / 49.– |
| 304 Polyamide fabric to determine mechanical action in washing machines and tumble dryer, used as GoA-A and GoA-B according to IEC 60456 Ed. 6 th , 1 meter with 15 test cloths | 156 | 85 | m | 87.– / 94.– |
| 305 GoA-B, Polyamide fabric to determine mechanical action in washing machines, Article 304 covered in a cotton towel according to IEC 60456 Ed. 6 th (normalised article 361/00) | | | Piece | 34.– / 37.– |
| 306 Poka-Dot®, to measure mechanical action in washing machines and dryers, pieces of 34x34 cm, 10 pieces per box | | | Box | 123.– / 132.– |
| 307 Poka-Dot®, to measure mechanical action in washing machines and dryers, pieces of 17x17 cm, 10 pieces per box | | | Box | 40.– / 43.– |
| 318 Wool shrinkage test fabric IWS-Wool SM-12, also for IEC 60456 Ed. 6 th , 1 piece with 12 test cloths | 144 | | Piece | 71.– / 76.– |
| 320 Cotton washing shrinkage test fabric, pieces of 30x30 cm, 10 pieces per box | | | Box | 57.– / 61.– |
| 333 Cotton fabric, plain weave, one side soiled to determine mechanical action in washing machines and tumble dryers, pieces of 8 x 5,5 cm, 25 pieces per box | | | Box | 94.– / 101.– |
| LOAD ACCORDING TO EN/IEC 60456, AHAM-HLW-1 / EN 50640 | | | | |
| 341 Small sheet, cotton/polyester, 72x90 cm, according to EN/50640:2018 | | | Piece | 20.– / 22.– |
| 342 Large sheet, cotton/polyester, 220x148 cm, according to EN/50640:2018 | | | Piece | 67.– / 72.– |
| 351 Cotton towel according to EN/IEC 60456, AHAM-HLW-2 | | | Piece | 12.– / 13.– |
| 352 Cotton bed sheet according to EN/IEC 60456, AHAM-HLW-2 | | | Piece | 34.– / 37.– |
| 353 Cotton pillow case according to EN/IEC 60456, AHAM-HLW-2 | | | Piece | 16.– / 17.– |
| 354 Polyester/cotton pillow case according EN/IEC 60456 | | | Piece | 21.– / 23.– |
| 355 Polyester/cotton men shirt according EN/IEC 60456 | | | Piece | 21.– / 23.– |
| 356 Double knitted polyester according EN/IEC 60456, 1 kg per box | | | Box | 66.– / 71.– |
| 357 AHAM-HLW-2 stuffer load on cotton | | | Piece | 7.– / 8.– |
| 361/00 Cotton towel according EN/IEC 60456, Age: neutralised | | | Piece | 16.– / 17.– |
| 361/20 Cotton towel according EN/IEC 60456, Age: 20 Test runs | | | Piece | 41.– / 44.– |
| 361/40 Cotton towel according EN/IEC 60456, Age: 40 Test runs | | | Piece | 77.– / 83.– |
| 361/60 Cotton towel according EN/IEC 60456, Age: 60 Test runs | | | Piece | 111.– / 119.– |
| 362/00 Cotton bed sheet according EN/IEC 60456, Age: neutralised | | | Piece | 59.– / 63.– |
| 362/20 Cotton bed sheet according EN/IEC 60456, Age: 20 Test runs | | | Piece | 252.– / 271.– |
| 362/40 Cotton bed sheet according EN/IEC 60456, Age: 40 Test runs | | | Piece | 486.– / 523.– |
| 362/60 Cotton bed sheet according EN/IEC 60456, Age: 60 Test runs | | | Piece | 717.– / 771.– |
| 363/00 Cotton pillow case according EN/IEC 60456, Age: neutralised | | | Piece | 26.– / 28.– |
| 363/20 Cotton pillow case according EN/IEC 60456, Age: 20 Test runs | | | Piece | 86.– / 92.– |
| 363/40 Cotton pillow case according EN/IEC 60456, Age: 40 Test runs | | | Piece | 161.– / 173.– |
| 363/60 Cotton pillow case according EN/IEC 60456, Age: 60 Test runs | | | Piece | 239.– / 257.– |

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|--------------------------------------|--------------------------|------------------|-------|--------------------|
| 370 Small sheet in cotton/polyester | | | Piece | 19.- / 20.- |
| 371 Medium sheet in cotton/polyester | | | Piece | 27.- / 29.- |
| 372 Large sheet in cotton/polyester | | | Piece | 59.- / 63.- |
| 390 Soil ballast (Formula 2004) | | | Box | 56.- / 60.- |

4 TEST FABRICS FOR DETERMINATION OF COLOUR FASTNESS

| | | | | |
|--|-----|-----|------|---------------|
| 401 Cotton fabric, ECE, plain weave, ISO 105-Fo2 | 131 | 116 | m | 28.- / 30.- |
| 402 Wool muslin, worsted yarn, ISO 105-Fo1 | 139 | 121 | m | 84.- / 90.- |
| 403 Silk, Crêpe, degummed, ISO 105-Fo6 | 76 | 57 | m | 130.- / 140.- |
| 406 Polyamide 6.6 spun, type 200, plain weave, ISO 105-Fo3 | 113 | 130 | m | 75.- / 81.- |
| 407 Polyester Dacron, type 54 spun, plain weave, ISO 105-Fo4 | 106 | 128 | m | 69.- / 74.- |
| 408 Polyacrylonitrile Orlon, type 75 spun, plain weave, ISO 105-Fo5 | 107 | 138 | m | 55.- / 59.- |
| 409 Multifibre fabric consisting of: wool, viscose, silk, polyamide, cotton, acetate | 112 | 260 | m | 125.- / 134.- |
| 410 TV multifibre fabric consisting of: triacetate, bleached cotton non-mercerized, polyamide Nylon 6.6, polyester Dacron 54, polyacrylonitrile Orlon 75, viscose spun, ISO 105-F10 | 10 | 259 | m | 36.- / 39.- |
| 411 DW multifibre fabric consisting of: 2,5 acetate, bleached cotton non-mercerized, polyamide Nylon 6.6, polyester Dacron 54, polyacrylonitrile Orlon 75, wool, ISO 105-F10, ISO 15702, ISO 15703 | 10 | 258 | m | 34.- / 37.- |
| 412 Cotton cuts for crockmeter, 5x5 cm, without optical brightener, packs with approx. 1000 pieces, ISO 105-Fo9, ISO 105-X12 | | 110 | Pack | 259.- / 278.- |
| 413 Cotton for crockmeter, without optical brightener, ISO 105-Fo9 | 128 | 115 | m | 45.- / 48.- |
| 415 Polyamide 6.6 strip, 1/2 drawn, 1/2 undrawn, «Tigercloth» | 16 | 120 | m | 28.- / 30.- |

TEST FABRICS FOR EVALUATION OF BLEACHING (Not sensitive to oxygen bleach)

| | | | | |
|--|-----|-----|---|-------------|
| 475 Cotton dyed with Reactive Red 195 | 155 | 185 | m | 55.- / 59.- |
| 476 Cotton dyed with Reactive Blue 225 | 166 | 180 | m | 55.- / 59.- |
| 477 Polyester dyed with Disperse Red 60 | 158 | 180 | m | 55.- / 59.- |
| 478 Polyester dyed with Disperse Blue 79 | 158 | 180 | m | 55.- / 59.- |
| 479 Cotton dyed with Vat Blue 4 | 167 | 180 | m | 55.- / 59.- |

TEST FABRICS FOR EVALUATION OF BLEACHING (Sensitive to oxygen bleach)

| | | | | |
|---|-----|-----|---|-------------|
| 495 Cotton dyed with Reactive Red 2 | 165 | 180 | m | 55.- / 59.- |
| 496 Cotton dyed with Reactive Black 5 | 170 | 185 | m | 55.- / 59.- |
| 497 Cotton dyed with Reactive Orange 16 | 168 | 180 | m | 55.- / 59.- |
| 498 Cotton dyed with Reactive Red 228 | 165 | 180 | m | 55.- / 59.- |
| 499 Cotton dyed with Sulphur Black 1 | 165 | 179 | m | 55.- / 59.- |

5 BIOMONITORS

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|--|--------------------------|------------------|-------|--------------------|
| 503 HyWa-Check Biomonitor with <i>Staphylococcus arlettae</i> | | | Piece | 14.- / 15.- |
| 504 HyWa-Check Biomonitor with <i>Enterococcus faecium</i> | | | Piece | 14.- / 15.- |
| 505 HyWa-Check Biomonitor with <i>Pseudomonas fluorescens</i> | | | Piece | 14.- / 15.- |
| 506 HyWa-Check Biomonitor with <i>Saccharomyces cerevisiae</i> | | | Piece | 14.- / 15.- |

6 REFERENCE DETERGENTS

| | | | | |
|---|--|--|------|---------------|
| 600 ECE reference detergent 98 for colour fastness ISO 105-C08/09, without phosphate, in packages of 1 kg net each | | | Pack | 27.- / 29.- |
| 601 ECE reference detergent 77 for colour fastness ISO 105-C06, ISO 105-C02 without optical brightener, in packages of 1 kg net each | | | Pack | 38.- / 41.- |
| 602 IEC-Base Powder Typ A* and Typ P, Standard Powder Detergent according IEC 60456 and EN 60456, in packages of 5 kg net each | | | Pack | 112.- / 120.- |
| 603 IEC reference detergent type B, with phosphates, EN/IEC Publication 60456, in packages of 5 kg net each | | | Pack | 99.- / 106.- |
| 606 TAED Tetraacetylenediamine, concentration 90%–94%, in packages of 500 g net | | | Pack | 14.- / 15.- |
| 608 Sodiumpercarbonate, bleaching agent in packages of 1 kg net each | | | Pack | 18.- / 19.- |
| 610 IEC-reference detergent, Typ D for dish-washer acc. IEC 60436:2015 with Savinase 6T and Termamyl 120T, in packages of 1 kg net each | | | Pack | 39.- / 42.- |
| 611 IEC-reference detergent, Typ E for dish-washer acc. IEC 60436 5 th Ed. with Excellent P1000 and Stainzyme Plus Eivity 12T, in packages of 1 kg net each | | | Pack | 39.- / 42.- |
| 612 IEC-L 1, standard liquid detergent according to IEC 60456 6 th Ed., pack of 1 L | | | Pack | 46.- / 49.- |
| 613 IEC-L 2, standard liquid detergent according to IEC 60456 6 th Ed., pack of 1 L | | | Pack | 46.- / 49.- |
| 614 IEC-W, standard liquid detergent for wool according to IEC 60456 6 th Ed., pack of 1 L | | | Pack | 32.- / 34.- |
| 615 IEC-Based Powder Type A* and Type P, powder detergent similar to the standard according to IEC 60456 and EN 60456 (formulation cft, Center For Testmaterials), Pack of 5 kg net | | | Pack | 93.- / 100.- |
| 616 AHAM-HLW-1 Formula 3, Powder detergent similar to the standard with sodium percarbonate instead of sodium perborate as bleaching additive, pack of 5 kg net | | | Pack | 107.- / 115.- |

7 TEST MATERIALS FOR VESLIC/IUF TESTING OF LEATHER

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|---|--------------------------|------------------|-------|--------------------|
| 701 Standard wool felt, white, for evaluations with rub fastness tester FEK-VESLIC, according to VESLIC C-4500, ISO 11640:2018, IUF450, unit with 1000 pieces | | | Pack | 122.- / 131.- |
| 702 Standard wool felt, black, for evaluations with rub fastness tester FEK-VESLIC, according to VESLIC C-4500, ISO 11640:2018, IUF450, unit with 100 pieces | | | Pack | 55.- / 59.- |
| 727 Soft PVC sheet for determining the migration fastness against soft PVC according to VESLIC C-4420, IUF 442, ISO 15701, cuts 50x30 mm each, sheet with 10 test-cuts | | | Sheet | 20.- / 22.- |
| 728 Small plate of hard PVC, grey, to test the adhesion of finish to leather, according to IUF 470, ISO 11644, size 70x20x3 mm, package with 100 pieces | | | Pack | 47.- / 51.- |
| 729 Small plate of hard PVC, grey, to test the adhesion of finish to leather, according to IUF 470, ISO 11644, size 70x20x3 mm, package with 1000 pieces | | | Pack | 317.- / 341.- |
| 730 Teflon rods for the control of dry cleaning, according to IUF 434, length 15–20 mm, diameter 8 mm, ISO 15702, ISO 15703 package with 100 pieces | | | Pack | 200.- / 215.- |
| 750 Rubber membrane according GMW 4749 (GMW part-no. 14125), 3 pieces A5 | | | Box | 66.- / 71.- |
| 752 Wool felt with skin particle, box with 90 pieces à 1.5x1.5 cm | | | Box | 1238.- / 1331.- |

8 SCALES FOR TESTING OF COLOUR AND LIGHT-FASTNESS

| | | | | |
|---|--|--|-------|---------------|
| 810 Grey scale for evaluation of change of colour ISO 105-A02, ISO 15702 | | | Piece | 210.- / 226.- |
| 820 Grey scale for evaluation of bleeding ISO 105-A03, ISO 15702 | | | Piece | 210.- / 226.- |
| 830 Blue scale for evaluation of light-fastness ISO 105-B01, ISO 105-B02, IUF 401, IUF 402 | | | Piece | 7.- / 8.- |
| 840 ORWET®, plate orange on lacquer for testing weathering methods, SAE J1960, ISO 11341, guideline VDI 3958, 45x55 mm | | | Piece | 18.- / 19.- |

9 PHOTOGRAPHS FOR EVALUATION OF PILLING FORMATION

| | Circa usable width in cm | g/m ² | Unit | Prices in CHF/Euro |
|---|-----------------------------|------------------|------|--------------------|
| 990 6x4 photographs for determining the degree of pilling, according to SN-EN-ISO 12945-2, wovens and knits | | | Set | 636.- / 684.- |
| 991 3x4 photographs for determining the degree of pilling, according to SN-EN-ISO 12945-2, wovens only | | | Set | 383.- / 412.- |
| 992 3x4 photographs for determining the degree of pilling, according to SN-EN-ISO 12945-2, knits only | | | Set | 383.- / 412.- |

10 SERVICE

| | | | | |
|--|--|--|--|------------|
| 1001 Fabrication of soiling as requested by customer | | | | on request |
| 1002 Fabrication of soiling to your specifications | | | | on request |
| 1003 Fabrication of customer-specific test strips | | | | on request |
| 1004 Cutting | | | | on request |
| 1005 Consulting | | | | on request |

11 CONDITIONS OF SALE AND DELIVERY FOR SWISSATEST TESTMATERIALS

CONDITIONS OF SALE AND DELIVERY

- We refer to our terms and conditions.
-

BANK DETAILS

- CHF: UBS AG. CH-9001 St. Gallen, IBAN CH 260025425480214601V
 - Euro: UBS AG. CH-9001 St. Gallen, IBAN CH 430025425480214660X
-

TAX NUMBERS

- MwSt-No.: CHE-109.401.386MWST
 - EORI-No.: DE4662792
 - Certificate of fiscale residence: 22437
-